

Dr Name: _____

Patient Name/ID: _____

Due Date: _____

Address: _____

City: _____ State: _____ Zipcode: _____

EXPRESS DELIVERY

Signature: _____

Scanner Brand: _____

Digital Scan ID: _____

Dr Licence #: _____

PLEASE TICK OPTIONS BELOW

RESTORATION

- Crown Bridge Inlay/Onlay Veneer Post & Core Maryland Bridge Cantilever Bridge

CROWN OPTIONS

ALL CERAMIC

Lithium Disilicate

- IPS e.max (layered)
- IPS e.max Press (monolithic)
- IPS e.max CAD
- IPS e.max Veneers

Wax Up

- Digital smile design

Embrasure

- Natural ★
- Closed
- Open

★ Indicates option default if none selected

Zirconia

- PFZ (layered)
- FMZ (monolithic)
- FMZ-T (translucent)
- Zirconia Veneers
- Enhanced Bonding

Interproximal Contact

- Normal ★
- Broad

Occlusal Contact

- Heavy
- Light ★
- Open

PFM

Alloy options

- Non-Precious
- Semi-Precious
- High-Precious (40% Gold)
- High-Precious (74% Gold)

Margin

- 180° Porcelain Buccal Margin
- 360° Porcelain Margin


Pontic Design

- Ovate
- Ridge Lap ★
- Hygienic

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17

Additional Instructions

SHADE INSTRUCTIONS



Basic Shade: _____
 Stump Shade: _____

